

Please type a plus sign (+) inside this box [+]

Approved for use through 10/31/2002. OMB 0651-0031

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Substitute for form 1449A/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT <i>(use as many sheets as necessary)</i>				Complete if Known	
				Application Number	10/509916
				Filing Date	
				First Named Inventor	Frode Røed
				Group Art Unit	
Examiner Name					
Sheet	1	of	1	Attorney Docket number	1935-00143

U.S. PATENT DOCUMENTS					
*Examiner Initials	Cite No.	Document Number	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
SW		US-5,513,854	05/07/1996	Daver	
		US-5,225,809	07/06/1993	Bunn	
		US-4,025,922	05/24/1977	Trawick, III	

FOREIGN PATENT DOCUMENTS						
Examiner Initials	Cite No.	Foreign Patent Document	Publication Date MM-DD-YYYY	Country	Name of Patentee of Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
SW		WO 98/16517	06/18/1998	WIPO	Michot	
		GB 1,543,910	04/11/1979	Great Britain	Edwards et al.	
		FR 2,382,886	10/06/1978	France	Cochard	
		WO 98/38554	09/03/1998	WIPO	Siemens Aktiengesellschaft	

NON PATENT LITERATURE DOCUMENTS		
Examiner Initials	Cite No.	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.
SW		Patent Abstracts of Japan, AP 10-320673, Safety Monitor System, Mitsunori, 12/04/1998.
		Derwent Publications, AN 1988-107531 & JP 63-107235A ((Nide) NEC Corp.), 05/15/1988, Abstract
		Derwent Publications, AN 1995-219511 & JP 71-31392 ((Fuit) Fujitsu Ltd.), 05/19/1995, Abstract
		Derwent Publications, AN 2001-187533 & JP 3245230B2 ((Mira-N) Miral Gijutsu Kenkyusho KK), 01/07/2002.

Examiner Signature	SWalk	Date	4/10/06
		Considered	

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to client.